

Message

From: Cook, David [David.Cook@WestonSolutions.com]
Sent: 12/2/2019 3:35:49 PM
To: Loesel, Matthew [loesel.matthew@epa.gov]
Subject: RE: First map
Attachments: FACILITY LAYOUT MAP.pdf

Attached. Are you able to confirm the tank 106 dot is in the right spot?

David Cook
START R6 IT/Data Management Lead
Weston Solutions, Inc.
(469) 666-5505 Direct
(512) 970-8836 Cell

From: Loesel, Matthew <loesel.matthew@epa.gov>
Sent: Monday, December 2, 2019 9:29 AM
To: Cook, David <David.Cook@WestonSolutions.com>
Subject: RE: First map

**** External Email ****

I added square around main area of activity (Explosion and fire) please add that to map



Matthew Loesel
U.S. EPA - FOSC
1201 Elm Street
Suite 500 (65ED-EC)
Dallas, Texas 75270
(214) 738 0674 (mobile)
(214) 665 8544 (office)
loesel.matthew@epa.gov

From: Cook, David <David.Cook@WestonSolutions.com>
Sent: Monday, December 2, 2019 9:21 AM
To: Loesel, Matthew <loesel.matthew@epa.gov>
Subject: RE: First map

Not sure about tank 106 (Top left). And do we want facility boundary?

David Cook
START R6 IT/Data Management Lead
Weston Solutions, Inc.
(469) 666-5505 Direct
(512) 970-8836 Cell

From: Loesel, Matthew <loesel.matthew@epa.gov>
Sent: Monday, December 2, 2019 8:47 AM
To: Cook, David <David.Cook@WestonSolutions.com>
Subject: RE: First map

**** External Email ****

Perfect.



Matthew Loesel
U.S. EPA - FOSC
1201 Elm Street
Suite 500 (65ED-EC)
Dallas, Texas 75270
(214) 738 0674 (mobile)
(214) 665 8544 (office)
loesel.matthew@epa.gov

From: Cook, David <David.Cook@WestonSolutions.com>

Sent: Monday, December 2, 2019 8:46 AM

To: Loesel, Matthew <loesel.matthew@epa.gov>

Cc: Delgado, Eric <Delgado.Eric@epa.gov>

Subject: First map

Second one coming. Not much I can do about the symbology bc it's TRG's service.



David Cook

START R6 IT/Data Management Lead

Weston Solutions, Inc.

(469) 666-5505 Direct

(512) 970-8836 Cell

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

WARNING: External Email: This email originated outside of Weston Solutions. DO NOT CLICK on any links or attachments unless you recognize the sender and are expecting the email.

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

WARNING: External Email: This email originated outside of Weston Solutions. DO NOT CLICK on any links or attachments unless you recognize the sender and are expecting the email.

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.